

Industrial Engineering Journal ISSN: 0970-2555

Volume : 53, Issue 4, April : 2024

UNRAVELLING TRANSPORTATION TRENDS WITH DATA ENGINEERING AND ANALYTICS

Mr. N Uday Kumar M Tech (Ph.D), Associate Professor, dept of cse, Raghu engineering college, dakamarri(V), Bheemunipatnam visakhapatnam Dist. pin code: 531162 A. Sai Kiran, B. Hemanth Kumar, C. Preethi, students, dept of cse, Raghu engineering

college, dakamarri(V), Bheemunipatnam visakhapatnam Dist. pin code: 531162

ratings.

Abstract—The Unravelling Transportation Trends with Data Engineering and Analytics project delves into the correlation between driver behavior and customer ratings within ride-hailing platforms. Utilizing a dataset akin to Uber's, the study investigates the impact of acceptance rates and cancellation rates on customer satisfaction, aiming to glean valuable business insights for enhancing service quality and fostering business growth. Meticulous data collection and preprocessing ensure data accuracy and reliability, while secure cloud-based storage facilitates efficient data processing. By analyzing driver behavior metrics and customer ratings, the project uncovers pivotal patterns and trends, offering essential guidance for optimizing driver performance. This data-driven approach empowers ridehailing services to implement targeted strategies for improving service quality, enhancing customer retention, and cultivating a loyal customer base.

Index Terms-Ride-hailing platforms, Driver behavior, Customer ratings, Data engineering Analytics, Service quality, Customer satisfaction, Data accuracy, Driver performance, optimization Data analytics.

I. INTRODUCTION

Research aims to leverage the power of big data and the advantages of derived insights, scientific discoveries, and better knowledge to help decision-making in a data-driven correlations between driver behavior and customer ratings. society. Better sensemaking over big data is made possible by the development and convergence of methods and technologies, such as improvements in machine learning and deep learning techniques, higher storage capacities and lower storage costs, faster network speeds and greater bandwidth, more affordable and potent high-performance computing, and an increasing ubiquity of sensor networks and smart behavior on customer satisfaction. technologies. Nevertheless, it frequently happens that spread over a number of dispersed datasets rather than existing within a single dataset. The potential benefit and impact of facilitating analyses and sensemaking across dispersed, complicated, and fragmented data are abundantly demonstrated by prior research (e.g., [1]-[8]), which spans numerous disciplines. However, there are still big obstacles to overcome.

The project encompasses four distinct phases, each integral to unveiling the link between driver behavior and customer



Fig:1. Workflow of the suggested pipeline for data engineering and analysis

Data Collection and Preprocessing:

Identify and collect a comprehensive dataset from publicly available sources, similar to Uber's ride-hailing data.

Implement rigorous data preprocessing techniques to ensure data integrity, handle missing values, and eliminate outliers.

Data Engineering with Mage and Google BigOuery:

Design and implement an efficient Extract, Transform, Load (ETL) pipeline using the Mage platform to orchestrate data transformations and aggregations.

Utilize Google BigQuery as the data warehousing solution to process and analyze the dataset using advanced SQL queries. Explore statistical analysis techniques to identify significant

Identifying Driver-Customer Dynamics:

Analyze driver performance metrics, including acceptance rate and cancellation rate, concerning customer ratings.

Gain insights into customer preferences and how driver actions influence their experience.

Uncover patterns and trends that highlight the impact of driver

Optimizing Driver Performance and Business Growth: significant discoveries and insights are contained in and Leverage the project's findings to optimize driver performance and enhance service quality in ride-hailing services.

> Formulate data-driven strategies to incentivize drivers and align their actions with customer expectations.



Industrial Engineering Journal

ISSN: 0970-2555

Volume : 53, Issue 4, April : 2024

In this paper, we present an interactive visual analytics framework for distributed data analysis systems. Through platforms like Uber and Lyft, ride-hailing services have revolutionized urban mobility by providing convenient transit options. In this industry, knowing the relationship between driver behavior and consumer happiness is essential. This study explores acceptance rates, cancellation rates, and their relationship to overall customer experience using a dataset similar to that of industry leader Uber. The initiative guarantees the integrity and dependability of its results by using rigorous data gathering and preprocessing methods. In order to improve service quality, the project will investigate this link using advanced analytics on datasets that are similar to those in the industry. By means of rigorous data gathering and analysis, the research explores a number of parameters, including consumer ratings and acceptance rates.

II. LITERATURE REVIEW

In order to do analysis, modern data-driven applications frequently need to identify and transfer pertinent data from several sites to a single storage location. Some alternative solutions for data sharing have been offered that make use of cloud-based hosting and high-speed networks to get around what is typically a challenging, time-consuming, and arduous operation. Other alternative solutions center around the provision of shared computing resources. A project called DataONE [1], [2] aims to make earth and environmental research data sources easier to find, search, and access. Through the provision of networked computing resources, the Open Science Grid [3], [20] facilitates scientific research.In an effort to reduce data travel, SciServer gathers all of the necessary data at one central storage site, but it does so at the location where most of the data is already present. Additionally, SciServer moves the analyses to the shared storage location by forwarding Jupyter Notebooks [22].

Research infrastructures that combine storage, highperformance computing, and analytical tools are the goal of other data-driven applications (e.g., XSEDE [11], [23], NeCTAR [24], PRACE [25], and EGI [26]).Users can share data repositories and dispersed computing resources by using these applications. Science Gateways (SGs) [5], [17]–[20] may employ the solutions to create (web) portals and user interfaces (UIs) that let scientists (such biologists and chemists) access, create, and carry out analytic workflows. Scientists are relieved of the responsibility and necessary knowledge to set up and manage the underlying distributed cyber-infrastructure by SGs.

Various end users can share and reuse SG services. SGs can be categorized into instances of SG, such as the Computational Neuroscience Gateway [13], and SG frameworks, such as WS-PGRADE/gUSE [27]

III. SYSTEM DESIGN

In order to streamline user interactions and improve the user experience with a data analytics system (DAS), this paper presents an interactive visual analytics framework (VAF). To do this, we examined a number of distributed analytical systems (e.g., [4], [8], [22], [23]) and determined the essential user interactions needed to run these systems. As such, both the data analysts and the end users may find the entire process of doing a data analysis to be equally difficult. Furthermore, users from other domain regions had to retrieve the resultant data from the server in order to examine the results. DAS frequently offers a visualization toolkit in place of creating the appropriate artifacts or exploratory visualizations to gauge how well the analysis performed [25].

- A. Data pre -processing and engineering:
 - **Data Identification and collection :** The system shall identify and collect a comprehensive dataset akin to Uber's ride-hailing data from publicly available sources.

It shall ensure the dataset includes relevant information such as driver behavior metrics and customer ratings.

- **Data Pre-processing:** The system shall implement data preprocessing techniques to ensure data integrity. Using the Pandas module to pre-process the data.
- **Data Storage:** The system shall utilize Google Cloud Storage or equivalent for storing the dataset securely.
- B. Data Analysis and Insights Generation:
 - **ETL Pipeline:** The system shall design and implement an Extract, Transform, Load (ETL) pipeline for data processing. It shall orchestrate data transformations and aggregations efficiently. Using Mage, a software data engineering pipeline tool to construct the ETL.
 - **Statistical Analysis:** The system shall employ statistical analysis techniques to identify correlations between driver behavior and customer ratings. It shall provide insights into customer preferences and the impact of driver actions.

C. Strategy Formulations and Recommendations:

• **Optimization Strategies:** The system shall formulate data-driven strategies to optimize driver performance and enhance service quality. It shall align driver actions with customer expectations effectively.



Industrial Engineering Journal

ISSN: 0970-2555

Volume : 53, Issue 4, April : 2024

Actionable Insights: The system shall generate actionable insights for ride-hailing companies to improve business growth, increase customer retention, and foster a loyal customer base

IV. PROPOSED MODEL

The system we have in mind for our research project is a comprehensive approach to data engineering and analytics that makes use of a range of tools and technologies, including GCP services from Google Cloud Platform. This all-inclusive ecosystem is intended to simplify the data processing workflow, enable effective analysis, and enable researchers to Researchers can easily develop interactive dashboards and extract meaningful insights from intricate datasets. The GCP solutions for managing complex data processing activities, are their data and communicate their findings effectively. the foundation of our system design. Google Cloud Storage offers safe and dependable data storage capabilities, acting as the basis for file archiving and retrieval from any location in the cloud. Furthermore, virtual machine deployment and

maintenance are made possible by Google Compute Engine, which makes it simple and effective for researchers to execute their applications.



Fig.2. Proposed Model

crucial part of our system since it provides strong analytical interactive environment for testing and executing code, capabilities and a recognisable SQL-type interface. BigQuery allowing academics to try various techniques and approaches. is perfect for processing the enormous volumes of data that are By streamlining the data extraction and transformation process, usually encountered in research projects since it allows Mage, an open-source tool for building up ETL pipelines, frees academics to store and analyze large-scale datasets. BigQuery's up researchers to concentrate on their business logic. The highly scalable and cost-effective design guarantees that diagramming programme Lucidchart makes it easier to create researchers may execute intricate analytical activities without flow charts and design diagrams, which helps to visualize sacrificing scalability or performance. Looker Studio is a web- project operations. based business intelligence application that enhances the GCP services by offering sophisticated reporting and visualization features.

DSA system dastan davain	pressi 🖬 Teufolse 🗁 Marview		
Google Cloud	> Ny First Project • cloud x	X Q Search D Q	3 1
Cloud Storage	 Bucket details 	Overview	
	ride-insidht-data-engineeri	e araiert	
ei 14	lander Description	Dalla seren dataster	
	origination (American Stranger Carry	Form added from the	
0 5.	and access (reprice) Concess		
	ORDECTS CONFISCRATION	PROMISSION PROTECTION EPECYCLE DESERVANEETY INVENTORYNEPORTS OPERATIONS	
	Descripte		
	Created	16 March 3024 at 17/02/51 GMT+6	
	Updated	16 March 2024 at 17:02:51 GMT+5	
	Location type	Region	
	Lacation	asia sosh1 (Mariba)	
	Reglication		
	Default storage class	Standard 🧪	
	Requester pays	OFF	
	Tage	None 🧪	
	Labels	None 🥖	
	Cloud Conselle URL	https://umsole.claud.apacke.com/ittorage/forevers/ide-inside-data-enginewing-amient	
	and UR	an childe insidelt delta annine series series and R	
	Barminuine	Arrest and a substantial strategy of the second strategy of the seco	
	Accum control	Dillos d	
官 Marketplace		Net and he are address to be her at the	
	Policie access processingly.	had an appear of an a family on provide a second	

Fig.3 GCP Bucket Creation

visualizations using Looker Studio, which seamlessly connects services, which provide dependable infrastructure and scalable with GCP services to improve the readability of insights into



Fig.4. Construction the ETL pipeline

To assist the data processing pipeline, our solution

integrates multiple tools and technologies in addition to GCP BigQuery, Google's data warehousing tool, is a services and Looker Studio. Jupyter Notebooks offer an





Fig. 5. Data is loaded into Big-Query through ETL Pipeline

Our suggested approach offers a thorough framework for data engineering and analytics by fusing various tools and technologies, empowering researchers to glean insightful information from intricate datasets and spur innovation in their domains.

Fig. 6. Loaded all the tables into Big Query

V. RESULTS

The project's performance analysis provided insightful information about how well the techniques and methods used to carry out the project were able to meet its goals. The project team evaluated a range of performance metrics and results using statistical analysis and thorough review. The effectiveness of data processing and analysis using the chosen tools and technologies was one area of emphasis for the performance analysis.

🙆 En	ee Trial and Free Tier Servi	X Q Big	Query - My	First Project - X	+					·
=	Google Cloud	My Firs	t Project	 /bigquer 	renaproject-palagie-basti	n-41/411&ws=1970 🕱 🥹	× Q	Search	+ 🕆 🗆 🔾	() : 🏊
0										
Q	BigQuery	D D	@ * 3	< @ "Unsided -	× 🖸 •				₽ 0 ■	a N - 4 C
Analysi	is ^		ର୍ Ur	titled 💽	RUN 🖸 SAVE 👻 👲	DOWINLOAD 📲 SHARE - 🕔 S	CHEDULE D MORE			Query completed
			16	.tip_amount,						
u	explorery stu.		17 1	tolls_amount,	shares					
=	Data transfers		19 1	tolls_amount	Line Be					
			28	TION		the first sector is				
O	Scheduled q		22	DIN 'nelanic-has	tion-417411.uber data en	ineering datetime dim' d DK f.d.	atetime id-d.datetime	14		
90	Analytics Hub					-			Press Option+F1	for accessibility option
	Control on the local sector of the local secto		Query results di EXPLORE DATA - O							
	balarorm									
*	Partner Cent		7081	PORMATION	RESULTS CHART	JSON EXECUTION DETAILS	EXECUTION GROUP	4		
			Row	VendoriD •	tpep_pickup_datetime ·	s tpep_dropoff_datetime •	passenger_count * trip	distance •	rate_code_name ·	pickup_latitud
Migrati	on ^		1	2	2016/03/10707/08/26	2016-03 10707-08:29	5	0.0	Standard rate	40.764064785
-	Assessment		2	2	2016-03-10107:14:39	2016-03-10107:16:42	1	0.0	Standard rate	40.763931274
			3	2	2016-03-10707:22:27	2014-03-10T07:23:51	1	0.0	Standard rate	40.763931274
4	SQL translat		4	2	2016-03-10107:31:14	2016-03-10107-34-20	1	0.0	Standard rate	40.767930047
Admini	stration o		5	2	2016-03-10107:37:32	2016-03-10107:37:40	6	0.0	Standard rate	
				2	2016-03-10107:38:58	2014-03-10107.42:03	1	0.0	Standard rate	40.763980865
a	Monitoring		/	2	2016-03-10107:43:54	2016-03-10107-45:52	1	0.0	Standard rate	40.763949421
	6			2	2016-03-10107-49-01	2016-03-10707-50-18	1	0.0	Standard rate	40.764019012
	capacity mail			2	2016-03-10107-53:17	2016-03-10107.54.99	1	0.0	Shandard rate	40.764041900
8	BI Engine		10	2	2016-03-10108:01:22	2016-03-10108:02:51	6	0.0	Standard rate	40./64148/12
~			11	2	2019-03-1010821:27	2010-02-10108/22:46	1	0.0	unarvoard rate	40.763931274
너	Proscy cago		12	2	2019/07/10/08/21/52	2010/07/07/08/22/22	1	0.0	and have a set	
			13	2	2018/03/10/08/38/27	2010/02/12/10/04037	1	0.0	SOMPORED FRAME	-mz./64408111
6	Release notes		_				Results per p	nor: 50 -	1 - 50 of 100000	
							netors po p	-p	1 0001100000 14	

Fig. 7. Query to combining all the fact tables

The implementation of Google Cloud Platform (GCP) services, including BigQuery and Google Cloud Storage, enabled smooth data retrieval, storage, and analysis while guaranteeing scalability and dependability.

	-							
2001y visua a. a. a.	misación estadore est	pen by durantian 🥌 i	high fight top attagent by prints	entry OT show that	Ne multitrituition allagen		In the execution gray	n hauturi 🖆 🖓 🖸
								annan .
	•	a	a	•	G 2000-000-	a	a	
	· · ·	10 •	ED 101 had	•	10 •			
		1.04			5			
				Table of T	-			
				CI	-			
				and in the				

Fig. 8. Insight Generation on Big Query

Furthermore, interactive dataset exploration and visualization were made possible by the integration of tools like Looker Studio and Jupyter Notebooks, which improved the interpretation of the findings. Additionally, the performance research assessed how data-driven tactics could improve consumer happiness and driver performance on ride-hailing platforms. The project team found practical insights and suggestions for enhancing service quality and customer experience by looking at important indicators including driver acceptance rates, cancellation rates, and customer ratings.

ligQuery - My Frei Projest - H 👩 Baldminght Daubhnard - H 📰 Gal Kran VIGA - Grouple Doos - H - +			
		± 🗉 🧶 🚥	canalasian 📄
RideInsight Dashboard Te Editing View Inset Finge Arrange Resource Help 2 * 9 * 1 Ph Addison Ed Addischart * 33 * * Addiscontrol * O = * 25 * 1 * Thermand	24 Share - 👁 W	··· 1 0	-
The second secon	Control ~	Data	E.
	Non-surver	St. and/roc Strappin, Asthub Strappin,	Progenting Projection Projection
30,741 30,060 323,467 11 M205 11 11 11 90 10 12 12 90 10 12 12	RR Pacet Court Congress Facetor Congress Facetor Research Associations Research Associa	And a fund And a fund And a fund And a fund	>

•





Fig 9.2 Location and Payment Insights Report

Overall, the performance study demonstrated how well the project's methodology used data engineering and analytics to



Industrial Engineering Journal

ISSN: 0970-2555

Volume : 53, Issue 4, April : 2024

extract insightful conclusions and advancements in the ride-hailing sector.

VII. CONCLUSION

The experiment has, in summary, illuminated the Data (Big Data), Dec 2016, pp. 3266-3271. complex relationship between driver behavior and ride-hailing [13] S. Shahand, M. M. Jaghoori, A. Benabdelkader, J. L. Font-Calvo, J. service user happiness. A thorough examination of the data has Huguet, M. W. Caan, A. H. van Kampen, and S. D. Olabarriaga, Computational yielded important insights that show how customer ratings, acceptance rates, and cancellation rates affect the quality of the services provided. The researcher's conclusions offer practical [14] M. Elshambakey, M. Khalefa, W. J. Tolone, S. D. Bhattacharjee, H. Lee, advice on how ride-hailing services may improve driver distributed infrastructure for data-driven discoveries & analysis," in 2017 IEEE performance and the general consumer experience. Ride- International Conference on Big Data (Big Data). IEEE, 2017, pp. 4738-4740. hailing services can achieve business growth, client retention, [15] C. Chokwitthaya, Y. Zhu, R. Dibiano, and S. Mukhopadhyay, and customer loyalty by utilizing data-driven techniques, like "Combining context-aware design-specific data and building performance the ones explained in this report. Future efforts to increase the models to improve building performance predictions during design," efficacy and efficiency of ride-hailing systems in satisfying consumers' changing needs will be built upon the foundation [16] O. T. Karaguzel, M. Elshambakey, Y. Zhu, T. Hong, W. J. Tolone, S. Das created by this research.

VIII. REFERENCES

[1] R. J. Sandusky, "Computational provenance: Dataone and implications for order building energy models by coupling with high-order simulations," cultural heritage institutions," in 2016 IEEE International Conference on Big Global journal of advanced engineering technologies and sciences, vol. 7, no. Data (Big Data). IEEE, 2016, pp. 3266-3271.

[2] J. P. Cohn, "Dataone opens doors to scientists across disciplines," 2012.

[3] R. Pordes, D. Petravick, B. Kramer, D. Olson, M. Livny, A. Roy, P. Avery, K. Blackburn, T. Wenaus, F. Wurthwein " et al., "The open science grid," in Journal of Physics: Conference Series, vol. 78, no. 1. IOP Publishing, 2007, p. [19] D. Merkel, "Docker: Lightweight linux containers for consistent 012057.

analysis close to the data," in Proceedings of the 28th international conference USA: Manning Publications Co., 2016. on scientific and statistical database management, 2016, pp. 1-4.

[5] S. Gesing, J. Kruger, R. Grunzke, S. Herres-Pawlis, and A. Hoffmann, "Using science gateways for bridging the differences between research [22] https://docs.docker.com/engine/swarm/

[6] I. Foster, "Globus online: Accelerating and democratizing science through cloud-based services," IEEE Internet Computing, vol. 15, no. 3, pp. 70-73, 2011.

[7] S. Gugnani, C. Blanco, T. Kiss, and G. Terstyanszky, "Extending science gateway frameworks to support big data applications in the cloud," Journal of Grid Computing, vol. 14, no. 4, pp. 589-601, 2016.

[8] A. Talukder, M. Elshambakey, S. Wadkar, H. Lee, L. Cinquini, S. Schlueter, I. Cho, W. Dou, and D. J. Crichton, "Vifi: Virtual information fabric infrastructure for data-driven discoveries from distributed earth science data," in 2017 IEEE SmartWorld, Ubiquitous Intelligence & Computing, Advanced & Trusted Computed, Scalable Computing & Communications, Cloud & Big Data Computing, Internet of People and Smart City Innovation The paper titled "Visual Analytics Frameworks for Distributed Data Analysis" (SmartWorld/SCALCOM/UIC/ATC/CBDCom/IOP/SCI). IEEE, 2017, pp. 1- (https://ieeexplore.ieee.org/document/9671768) elucidates the relevance of

analyst technology as identified through cognitive task analysis," in Data(https://www.analyticsvidhya.com/blog/2023/06/modern-data-Proceedings of international conference on intelligence analysis, vol. 5. engineering-with-mage-empowering-efficient-data-processing/) McLean, VA, USA, 2005, pp. 2-4.

[10] D. Sacha, A. Stoffel, F. Stoffel, B. C. Kwon, G. Ellis, and D. A. Keim, "Knowledge generation model for visual analytics," IEEE transactions on visualization and computer graphics, vol. 20, no. 12, pp. 1604-1613, 2014.

propel significant [11] J. Towns, T. Cockerill, M. Dahan, I. Foster, K. Gaither, A. Grimshaw, V. Hazlewood, S. Lathrop, D. Lifka, G. D. Peterson, R. Roskies, J. R. Scott, and N. Wilkins-Diehr, "Xsede: Accelerating scientific discovery," Computing in Science Engineering, vol. 16, no. 5, pp. 62-74, Sep. 2014.

> [12] R. J. Sandusky, "Computational provenance: Dataone and implications for cultural heritage institutions," in IEEE International Conference on Big

> Neuroscience Gateway: A Science Gateway Based on the WS-PGRADE/gUSE. Cham: Springer International Publishing, 2014,

> L. Cinquini, S. Schlueter, I. Cho, W. Dou, and D. J. Crichton, "Towards a

Automation in construction, vol. 107, p. 102917, 2019.

Bhattacharjee, I. Cho, W. Dou, H. Wang, S. Lu et al., "Open computing infrastructure for sharing data analytics to support building energy simulations," Journal of Computing in Civil Engineering, vol. 33, no. 6, p. 04019037.2019.

[17] R. Zhang and O. T. Karaguzel, "Development and calibration of reduced 2, 2020.

[18] W. J Tolone, "Application of the virtual information fabric infrastructure (vifi) to building performance simulations," Current Trends in Civil & Structural Engineering, vol. 4, no. 2, 2019.

development and deployment," Linux J., vol. 2014, no. 239, Mar. 2014.

[4] D. Medvedev, G. Lemson, and M. Rippin, "Sciserver compute: Bringing [20] I. Miell and A. H. Sayers, Docker in Practice, 1st ed. Greenwich, CT,

[21] https://nifi.apache.org/.

infrastructures," Journal of Grid Computing, vol. 14, no. 4, pp. 545-557, 2016. [23] K. Potter, A. Wilson, P.-T. Bremer, D. Williams, C. Doutriaux, V. Pascucci, and C. Johhson, "Visualization of uncertainty and ensemble data: Exploration of climate modeling and weather forecast data with integrated visus-cdat systems," in Journal of Physics: Conference Series, vol. 180, no. 1. IOP Publishing, 2009, p. 012089.

> [24] A. Mat' acut, ' a and C. Popa, "Big data analytics: Analysis of features ' and performance of big data ingestion tools," Informatica Economica, vol. 22, no. 2, pp. 25-34, 2018.

> [25] P. Kacsuk, Science gateways for distributed computing infrastructures: Development framework and exploitation by scientific user communities. Springer International Publishing, 8 2014.

[26] Visual Analytics Frameworks (IEEE Xplore):

visual analytics in distributed data analysis systems.

[9] P. Pirolli and S. Card, "The sensemaking process and leverage points for [27] The article "Modern Data Engineering with Mage: Empowering Efficient

[28] https://cloud.google.com/docs/tutorials: gcp cloud documentation