

Industrial Engineering Journal ISSN: 0970-2555 Volume : 52, Issue 8, August : 2023

Machine Learning-Based Approach for Cardiovascular Disease Detection and Classification

¹CHENJI KEERTHIPRIYA, ² MAHAMMADI NIGAR SHAIK

¹PG Scholar, Dept. of ECE, Gokula Krishna College of Engineering, Sullurpeta. ²Associate Professor, Dept. of ECE, Gokula Krishna College of Engineering, Sullurpeta.

Abstract - Cardiovascular Disease (CVD) remains the primary cause of mortality worldwide and continues to exhibit an alarming upward trend. Detecting CVD efficiently and accurately in large populations has become an urgent necessity. The proposed framework aims to detect and classify five major cardiovascular disorders in the heart, including Heart Attack, Heart Failure, Heart Valve disease, pericardial disease, and Vascular Disease (Blood Vessel Disease). Developed within the Matlab environment, the system will undergo comprehensive simulation to ensure its effectiveness. To evaluate the system's performance, a two-pronged approach will be employed: psycho-visual and parametric analysis. Through psycho-visual analysis, human experts will visually assess the system's outputs, offering qualitative insights into its accuracy and reliability. Meanwhile, parametric analysis will utilize objective metrics to quantitatively measure the system's efficiency in detecting and categorizing the cardiovascular conditions. The successful implementation of this proposed system holds promise for early and precise identification of cardiovascular disorders, facilitating timely medical interventions and improving patient outcomes. By incorporating both subjective and objective evaluations, this research seeks to develop a robust and efficient tool for cardiovascular disease screening, ultimately contributing to enhanced healthcare and reduced disease burden.

Index Terms: Cardiovascular Disease, Psycho-visual analysis, Parametric analysis, Early Detection, Timely Interventions, Patient Outcomes, Healthcare, Disease Screening.

I. INTRODUCTION

Cardiovascular diseases, with Coronary Artery Disease (CAD) being a prominent example, continue to be a leading cause of global morbidity and mortality. Early detection and timely intervention are crucial for improving patient outcomes and reducing the burden on healthcare systems. Currently, Coronary Angiography (CAG) stands as the gold standard for diagnosing CAD, providing detailed images of the coronary arteries. However, due to its invasive nature and high cost, CAG is not a suitable routine screening method for the general population. As an alternative, non-invasive approach, medical research has investigated the use of heart sound analysis for CAD detection. When blood flows through a stenosed or narrowed blood vessel, it creates turbulence and impacts the vessel walls, resulting in distinct murmurs in heart sound signals. By examining these heart sound patterns, valuable information about the presence and severity of CAD can be derived. Harnessing heart sound analysis as a diagnostic tool offers several potential advantages, including cost-

effectiveness. non-invasiveness. and broader accessibility. The non-invasive nature of heart sound analysis makes it a favorable candidate for large-scale population screening, enabling early detection of CAD and the implementation of appropriate interventions to prevent disease progression and related complications. Moreover, its affordability and ease of implementation in various healthcare settings can improve access to CAD screening for underserved populations. In this research endeavor, we aim to explore the potential of heart sound analysis as a cost-effective and non-invasive screening tool for early CAD detection. By delving into the intricacies of heart sound signals and deciphering the murmurs associated with CAD-related turbulence, we strive to contribute to the development of a reliable and accessible method for identifying individuals at risk of CAD. Our work holds the promise of enhancing overall cardiovascular health and reducing the burden of CAD on society. Moreover, we hope that this research will pave the way for innovative and scalable approaches to

UGC CARE Group-1,



ISSN: 0970-2555

Volume : 52, Issue 8, August : 2023

cardiovascular disease screening and management, ensuring better health outcomes and a healthier population.

II. LITERATURE

Over the years, researchers have extensively investigated the connection between diastolic murmurs and stenosis in cardiovascular disease (CAD). One notable study conducted by Akay et al. explored this correlation using four different analysis methods. Fourier transform, namelv fast autoregressive, autoregressive moving average, and minimum norm. By employing these analytical techniques, they were able to establish a strong association between diastolic murmurs and stenosis, providing valuable insights into the diagnostic potential of heart sound signals for CAD detection. In a separate investigation, Semmlow et al. delved into the relationship between high-frequency energy and narrowed coronary arteries. They found that an above-normal percentage of high-frequency energy is closely linked to the presence of narrowed coronary arteries, further reinforcing the significance of diastolic murmurs in identifying potential cardiovascular abnormalities. Expanding on the utilization of heart sound signals for CAD detection, researchers have explored heart sound-based risk assessment. This approach leverages the acoustic characteristics of heart sounds to aid in the identification of CAD. The results from various studies have consistently demonstrated the potential of heart sound analysis in detecting CAD, highlighting the promise of this non-invasive and costeffective method for early disease identification. In the pursuit of novel methodologies, Zhao et al. proposed an innovative approach based on Hilbert-Huang transform to analyze diastolic murmurs in CAD. This technique allows for the extraction of relevant information from heart sound signals, enhancing the accuracy and sensitivity of CAD detection, thus paving the way for more precise and personalized diagnostic strategies. Beyond traditional frequency-domain features, waveletbased feature sets in the time-frequency domain have gained prominence in classifying abnormal heart sounds. These features enable a comprehensive analysis of the temporal and spectral characteristics of heart sound signals, offering valuable insights into the underlying

cardiovascular conditions. Recognizing the complexity and nonlinearity of physiological signals, researchers have turned to nonlinear analysis as an effective tool for CAD detection. Studies have revealed that parameters like correlation dimension can effectively capture the intricate relationships within heart sound data, aiding in the early identification of CAD and contributing to improved patient outcomes. Moreover, entropy, as a nonlinear feature, has proven to be highly suitable for the analysis of non-stationary signals in CAD assessment. By quantifying the complexity and irregularity of heart sound signals, entropy offers valuable information that complements traditional analysis methods, facilitating more comprehensive and accurate CAD detection..

III. PROPOSED WORK

The proposed work introduces a comprehensive cardiovascular disease detection and classification system, which aims to identify five major cardiovascular disorders: Heart Attack, Heart Failure, Heart Valve disease, Pericardial disease, and Vascular Disease (Blood Vessel Disease). The system operates by acquiring ECG samples from different nodes fixed around the heart, measuring the beat rate, and analyzing the pulse range. To ensure accurate and reliable data processing, the acquired ECG samples undergo preprocessing and proper reshaping by buffering the ECG pulses in a regular sequence. The buffered and reshaped ECG pulses are then fused to combine similar magnitude and modalities of pulses effectively.

The next step involves optimizing the fused ECG pulses using robust neural network optimization techniques like Gradient Descent and Adaptive Gradient Descent Approaches. This optimization process enhances the quality and accuracy of the ECG pulse data.

Once optimized, the ECG pulses are clustered into different classes based on their magnitudes. This clustering step aids in organizing and categorizing the ECG pulses for subsequent abnormalities detection and classification. The proposed system utilizes Convolutional Neural Network (CNN) for abnormalities detection and classification. From the optimized ECG pulses, classification features are extracted and subjected to the CNN, which efficiently identifies and



ISSN: 0970-2555

Volume : 52, Issue 8, August : 2023

classifies various abnormalities associated with the cardiovascular system. To enhance the classification accuracy, the detected abnormalities are further clustered into different groups based on their features. This grouping allows for more specific and precise classification of different cardiovascular diseases. The final results of the proposed system, including the detected cardiovascular diseases and their respective classifications, are conveyed using both psycho-visual and quantitative parameters. This dual approach ensures comprehensive evaluation of the system's a performance. The entire system is designed and developed in the Matlab environment, facilitating efficient implementation and testing. To validate the

system's efficacy and accuracy, extensive simulation studies are conducted to assess its performance both psycho-visually and parametrically. The proposed work holds great potential for advancing cardiovascular disease detection and classification, offering a reliable and non-invasive method for early diagnosis and management. By leveraging advanced signal processing techniques and neural network optimization, this research contributes to the development of an effective and accessible tool for improving cardiovascular healthcare outcomes.




Fig.1. Block Diagram of the proposed system

IV. TECHNIQUES AND METHODOLOGIES:

CNN Framework:

The Convolutional Neural Network (CNN) framework is a deep learning technique widely used for pattern recognition and image classification tasks. In the proposed system, CNN is utilized for abnormalities detection and classification from the optimized ECG pulses. CNN's ability to automatically learn hierarchical features from data makes it well-suited for processing complex cardiovascular signals.

Gradient Descent and Adaptive Gradient Descent Approaches:

Gradient Descent is an optimization algorithm used to minimize the error or loss function during the training process of neural networks. It updates the model's



Industrial Engineering Journal ISSN: 0970-2555 Volume : 52, Issue 8, August : 2023

parameters in the direction of steepest descent to find the optimal values. The proposed system employs Gradient Descent and its variant, Adaptive Gradient Descent, to optimize the fused ECG pulses. These optimization techniques fine-tune the parameters of the neural network, leading to improved accuracy and convergence.

K-means Clustering:

K-means clustering is a popular unsupervised learning algorithm used to partition data into K clusters based on similarities. In the proposed system, K-means clustering is applied to group the optimized ECG pulses based on their

magnitudes. This clustering step helps in organizing and categorizing the pulses, simplifying the abnormalities detection process.

Multi-Model Fusion Framework:

The multi-model fusion framework combines information from multiple sources or models to improve overall system performance. In the proposed work, multi-model fusion is employed to effectively integrate information from various data sources, such as ECG samples from different nodes around the heart. This fusion approach enhances the robustness and accuracy of the system by incorporating diverse data modalities.

The integration of these techniques and methodologies in the proposed cardiovascular disease detection and classification system creates a powerful and comprehensive framework. The CNN enables efficient abnormalities detection and classification, while the optimization using Gradient Descent and Adaptive Gradient Descent approaches refines the ECG pulses. Kmeans clustering aids in organizing the data, facilitating efficient classification, and the multi-model fusion framework ensures the integration of diverse data sources for more accurate and reliable results. This combined approach holds great promise for enhancing early detection and classification of cardiovascular disorders, contributing to improved patient care and better healthcare outcomes.




Fig. 2. Confusion matrix for heart failure classification

Figure 2 presents the confusion matrix for heart failure classification, illustrating the performance of the proposed system in accurately identifying cases of heart failure. The matrix demonstrates the true positive, true negative, false positive, and false negative predictions, providing valuable insights into the system's effectiveness in detecting this specific cardiovascular disorder.

P 2 C + + + + + + + + + + + + + + + + + +	· Provide and a second s	
Terr.		
104/001	a has die Terr Ger Briefster	
141		
hims, installer	A AN I AND	
5 100		
- memory y	These are large being multi-	
and the property of	Sever one open relation and	
remult.n		
Contractor -	then him Anty Davis Argineer	
http://www.		
Turnhun .	36 km - 204 - 2014 - 2014 - 2014 -	
Constant.	[1] B. S. Markov, M. S. Markov, Nucl. Nature 1997, 1997.	
config (manager ()	then then been they binned	
and the		
144 print (un)	1 34 0 444	
and a second second		
29.202.00.0		
instants -	Chief makes of home lapses 100 to proteins and 110	
T monor		
And a stream of the		
Cardinal Control of Co		
Autoint Name Inf	manual land lines- had 22200	
atta	Anisotry 6, CDI Development, 2000	
anne Miles	landalattellay of N2 bireland 1980	
Tadiolan	Tassilober if m issue in must	
1002.000	manager of the manifold by theme	
	mediatry of 7% medianet school	
	Junizedesizine/day of TT Detailant W. WTW	
	multipetretationenane of repriseding r. menti	
The America American	And and and and of the sheeting on think	
	engelani.Andiana if the Orestian Net	
	Permanen af. fitt interface of interim	
	to the second	

Fig. 3. Matlab output for heart failure



ISSN: 0970-2555

Volume : 52, Issue 8, August : 2023

Figure 3 displays the MATLAB output for heart failure detection, showcasing the system's classification results and highlighting the instances of heart failure accurately identified by the proposed method.



Fig. 4. Dialog box is presented to the user

A dialog box is presented to the user, recommending them to consult a cardiologist if the system detects potential indications of cardiovascular abnormalities. This user prompt emphasizes the importance of seeking medical advice from a healthcare professional for further evaluation and diagnosis.

In the subsequent figures (Figure 5 and beyond), the remaining results are presented, showcasing the system's performance in detecting and classifying other cardiovascular disorders and no disorder are shown, Each figure provides an insightful representation of the system's accuracy in identifying specific cardiovascular conditions, further validating its potential as a comprehensive diagnostic tool. The results obtained from the entire system demonstrate its efficacy in aiding detection and classification of early diverse cardiovascular diseases, ultimately contributing to improved patient care and better healthcare outcomes.

	1000	1		TCVD-HE	ART VALVE I	SCHOOL STREET
EVD TYPE1	47 10.7%	2.0%	4.8%	0.0%	0.0%	43.8%
CVD YVYE2	3 Lins	25 14.9%		0.0%		40.0% 30.0%
CVD TYPE3	10 7.7%	4 2.4%	26 -11.9%	0 0.0%	0.0%	10.0%) 47.4%
CVD TYPE4	0 0.0%		8 3.0%	28 17.25	dis.	460% 31.0%
OVD TYPES	0 0.0%	0.0%	3 19%	8 3.0%	54 (6.7%	61.0% 96.0%
	ALLES-	10.0%	45.5%	81.7%	10 DA	41.0%

Fig. 5. confusion matrix for heart valve classification

	Constant Borner	
Lopin gagman	Ann dist April lines determine	
22	1 . AL	
	Every the layer layer density form the layer '900002 and' form if it is the second sec	
(hasing	And Alan April Com American	
enar 19 mar 19 Status 19 Status	1 34 1 444	
e neg Klimaj Jeszpykens Rakinal	Terms and the of location support (2) to good efficacity (2) Jacomon location (2) (2012)	
	Incomp of Claring Control of Control of Control Income Control of Control of Control of Control Income Control of Control of Control of Control Income Control of Control of Control of Control of Control Income Control of	
Clanas Siling	Specificatory of Vio Detection N (2000) Provi anti-mediana antivista at a Vio Detectiona 76, 491 (VI Instrumentational antivista del Vio Detectiona del 2000) Pranta esclara data del Vio Detectiona del 2000 Instrumentational antivista del Vio Detectiona del 2000.	
	Presidence of PE Sectorization in control of the sector of	

Fig. 6. Matlab output for heart valve

🛃 Help Dialog	-		×
Suggested to	consult a (Cardiologis	st
	ок		

Fig. 7. Dialog box is presented to the user



ISSN: 0970-2555

Volume : 52, Issue 8, August : 2023



Fig. 8. confusion matrix for heart attack classification

		1.1.1.8				
WW HARD TO A VIE THE REPORT OF THE	the SPECTRA AND INCOMENDATION OF A	-3				
Property in the local data in the local data	A grant lange of the					
-	N.N. 344 10.415					
C BATLANKE	the day when the downard					
1.00	the list day product					
Stone, Manufactor	a ball of balls					
- Conta	1 No. 1 No. 1					
Derests.	and the last land main					
Construction of the local division of the lo	Seture for here: "MATRI 12"					
Common .	the					
a read to entry						
Constant.	Fi at the latest date water					
County (Address)	dean like deter-their descents					
Coroni.ed						
The second second second	 Max 100 Max 200 Max 200					
To basics advance.	 - Security System Control and Security Control 					
- Emers	CHEMIC VARIAGE OF ADDRESS AND ADDRESS ADDR					
Add Address						
(manager)	 A second sec second second sec					
Investory Descentery	manual data i bianto di di 19907 manual di un manual di 19907					
and the second second	States of the second states					
Page 14	Contractions of the analysis and					
Annual (1984)	Characterry of rel Adaptation, Talif					
	mailing of the manager limit					
	The state of the s					
	imperioritetteristic of 700 interception (1001)					
No other protects	Incompany and the loss of the Company of the Compan					
	West of the local state of the local state of the					
	Advanced of 20 Content on D. Aller .					
	A too					

Fig. 9. Matlab output for heart attack




Fig. 10. Dialog box is presented to the user

OVD TYPE+	23 13.7%	3.0%	10 IC	0.0%	an Despace	entonep]
נזאיד מעט	zes.	26 15.3%	13%		0.0%	20102
CVD TYPE3	1.05	1216	30 11.0%	1	1.000	22
CVD TYPE4	0 0.0%	0 0.0%	3 5.0%		4.00	21.275 10.275
040 11945	0 0.0%	0 0-0%	12%	1.00	14 A.2%	22
1	112	222	1512	012%	101.05	107.295 101.775

Fig. 11. confusion matrix for vascular classification

BR S PARTY COMMENDATION	NUMBER OF BASE STREET, AND A	•3
and the second second	a manufacture of the second seco	
TT help-	W.M. JAN. D.V. Max.	
1 Martines	the second se	
\$10	an up an on some	
Concession in the local diversion of the	x 8 0 100	
200	1	
Secolo	may the table formet windle	
Summer .	have in load with the	
Same .		
Charles here	94 28 94-36 M201	
Countries .	which have been been	
Enne	Contraction and the second	
Contractor of	and the second sec	
C manada las	de un the damps	
Comments	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Annalisat	A RE LEARNING	
(marcan)		
Con dett.	strategies of the last of a product of the	
4000	And make a first weat of the proventy	
Contract Income	Name of Advancement Party and Advancements	
Case .	Burns 7 77 3 8 1 4 8 199	
Carried States	Transformation of the American States	
Partner	Canada Bales of the principal street	
ale bal	A State of the Association State of the Ass	
and the second sec	Berlinde I Th Annual 1979	
Advantation of Classics	Automotive and the second street	
R Income of Street of Stre	Matched Science (1999) and a contract street	
	minimized and of the personal (1988)	
	Hard Work, And A. C. Strangerski.	
	THE ALL OF THE WORLD'S ALL .	
	THE R P. N. BELLEY AND	

Fig. 12. Matlab output for vascular




Fig. 13. Dialog box is presented to the user



ISSN: 0970-2555

Volume : 52, Issue 8, August : 2023



Fig.17. confusion matrix for no disorder classification




Fig. 14. confusion matrix for Pericardial classification




Fig. 9. Matlab output for pericardial




Fig. 16. Dialog box is presented to the user

🛃 Help Dialog	-		×	1
i YOUR HE	EART IS HEAL	THY		
	ОК			

Fig.18. Dialog box presenting healthy notification **CONCLUSION**

In conclusion, the proposed cardiovascular disease detection and classification system utilizing techniques such as CNN framework, Gradient Descent, Adaptive Gradient Descent, K-means clustering, and Multi-Model Fusion has demonstrated promising results. The system effectively identifies and classifies major cardiovascular disorders, including Heart Attack, Heart Failure, Heart Valve disease, Pericardial disease, and Vascular Disease (Blood Vessel Disease). The results obtained from the MATLAB output and confusion matrices validate the system's accuracy and reliability in diagnosing these conditions. By leveraging advanced signal processing and deep learning methodologies, the system offers a non-invasive and cost-effective approach to early detection and classification of cardiovascular diseases. The integration of various data sources through the multi-model fusion framework enhances the system's robustness and provides comprehensive insights into cardiovascular health. The user prompt, advising consultation with a cardiologist upon detection of potential abnormalities, emphasizes the system's role as a screening tool rather than a substitute for professional medical evaluation. The proposed system aims to complement healthcare practices by aiding in early diagnosis and facilitating timely medical interventions.

REFERENCES



ISSN: 0970-2555

Volume : 52, Issue 8, August : 2023

- [1] W. H. Organization, Cardiovascular Diseases. 2020.
- [2] B. Ali, L. Gurbeta, and A. Badnjevi, Machine learning techniques for classification of diabetes and cardiovascular diseases, in 2017 6th Mediterranean Conference on Embedded Computing (MECO), 2017, pp. 14.
- [3] S. Mezzatesta, C. Torino, P. De Meo, G. Fiumara, and A. Vilasi, A machine learning-based approach for predicting the outbreak of cardiovascular diseases in patients on dialysis, Comput. Methods Programs Biomed., vol. 177, pp. 915, 2019.
- [4] K. H. Miao, J. H. Miao, and G. J. Miao, Diagnosing coronary heart disease using ensemble machine learning, Int J Adv Comput Sci Appl IJACSA, 2016.
- [5] J. Wang et al., Detecting cardiovascular disease from mammograms with deep learning, IEEE Trans. Med. Imaging, vol. 36, no. 5, pp. 11721181, 2017.
- [6] A. M. Alaa, T. Bolton, E. Di Angelantonio, J. H. Rudd, and M. van der Schaar, Cardiovascular disease risk prediction using automated machine learning: A prospective study of 423,604 UK Biobank participants,PloS One, vol. 14, no. 5, p. e0213653, 2019.
- [7] C. Krittanawong, H. Zhang, Z. Wang, M. Aydar, and T. Kitai, Artificial intelligence in precision cardiovascular medicine, J. Am. Coll. Cardiol., vol. 69, no. 21, pp. 26572664, 2017.
- [8] M. S. Amin, Y. K. Chiam, and K. D. Varathan, Identification of significant features and data mining techniques in predicting heart disease, Telemat. Inform., vol. 36, pp. 8293, 2019.
- [9] R. J. P. Princy, S. Parthasarathy, P. S. H. Jose, A. R. Lakshminarayanan, and S. Jeganathan, Prediction of Cardiac Disease using Supervised Machine Learning Algorithms, in 2020 4th International Conference on Intelligent Computing and Control Systems (ICICCS), 2020, pp. 570575.
- [10] KAGGEL, Cardiovascular Disease dataset. 2020.
- [11] S. Bashir, Z. S. Khan, F. H. Khan, A. Anjum, and K. Bashir, Improving Heart Disease Prediction Using Feature Selection Approaches, in 2019 16th International Bhurban Conference on Applied Sciences and Technology (IBCAST), 2019, pp. 619623. doi: 10.1109/IBCAST.2019.8667106.
- [12] S. A. Sabab, M. A. R. Munshi, A. I. Pritom, and others, Cardiovascular disease prognosis using effective classification and feature selection

technique, in 2016 International Conference on Medical Engineering, Health Informatics and Technology (MediTec), 2016, pp. 16.

- [13] G. Biau et al., Performances Analysis of Heart Disease Dataset using Different Data Mining Classifications, Test, vol. 8, no. 6, pp. 2677 2682.
- [14] A. Khemphila and V. Boonjing, Heart disease classification using neural network and feature selection, in 2011 21st International Conference on Systems Engineering, 2011, pp. 406409.

UGC CARE Group-1,