



AUTOMATIC SPEED CONTROL AND ACCIDENT AVOIDANCE SYSTEM USING ARDUINO UNO R3

Mr. N. RAJESH Assistant Professor, Department of EEE Er. Perumal Manimekalai College Of Engineering, Hosur, Tamil Nadu. nrajesh.361976@gmail.com,

LIKITH.C UG Students, Department of EEE Er. Perumal Manimekalai College Of Engineering, Hosur, Tamil Nadu.

JAIKUMAR.B UG Students, Department of EEE Er. Perumal Manimekalai College Of Engineering, Hosur, Tamil Nadu.

SANJAI.P UG Students, Department of EEE Er. Perumal Manimekalai College Of Engineering, Hosur, Tamil Nadu.

SUDHARSON.N UG Students, Department of EEE Er. Perumal Manimekalai College Of Engineering, Hosur, Tamil Nadu. sudharsonn762@gmail.com

ABSTRACT

In recent years, road safety has become a paramount concern globally, with the rising number of accidents and fatalities. To address this pressing issue, our project presents an Automatic Speed Control and Accident Avoidance System leveraging the capabilities of the Arduino Uno R3 micro controller. The system aims to enhance road safety by automating speed control and implementing proactive measures to avoid accidents. Utilizing sensor technologies and real-time data processing, the system continuously monitors the surrounding environment, including road conditions, obstacles, and vehicle speed. The Arduino Uno R3 serves as the central processing unit, orchestrating the functionalities of the system. Through integration with ultrasonic sensors, it detects obstacles in the vehicle's path and calculates the distance to them. Additionally, it interfaces with a motor control module to regulate the vehicle's speed based on the detected obstacles and preset safety parameters. The system employs a closed-loop control mechanism to adjust the vehicle's speed dynamically, ensuring optimal safety while maintaining efficiency in travel time. By automatically modulating the throttle and braking mechanisms, it minimizes the risk of collisions and enhances overall driving experience. Furthermore, the system incorporates an intuitive user interface, allowing drivers to monitor system status, set desired speed limits, and intervene manually if necessary. This user-friendly interface enhances accessibility and promotes user acceptance of the technology. In conclusion, the Automatic Speed Control and Accident Avoidance System presented in this project represents a significant advancement in road safety technology. By leveraging the capabilities of the Arduino Uno R3 micro controller and sensor technologies, it offers a proactive approach to accident prevention and contributes to the vision of safer and more efficient transportation systems.

Keywords:

Arduino Uno R3, Eye Blind Sensor, Ultrasonic Sensor, Smoke Sensor, Alcohol Sensor, Arduino IDE, Buzzer.

I. Introduction

In recent years, advancements in automotive technology have led to the development of various safety systems aimed at reducing the incidence of accidents and enhancing road safety. One such area of innovation is the integration of automated systems within vehicles to monitor the driving environment and assist drivers in avoiding potential hazards. Among these systems, Automatic Speed Control and Accident Avoidance Systems (ASCAAS) have gained significant attention due to their potential to mitigate risks associated with driver negligence, environmental factors, and impaired driving. This project proposes the design and implementation of an ASC-AAS using the Arduino Uno R3 microcontroller board, combined with a suite of sensors for comprehensive monitoring and response capabilities. The system integrates sensors such as the Ultrasonic sensor for obstacle detection, Eye



Blind sensor for monitoring driver attentiveness, Smoke sensor for detecting fire hazards within the vehicle, and Alcohol sensor for identifying driver impairment. Additionally, a Buzzer is employed to provide audible alerts to the driver in critical situations. The primary objective of the ASC-AAS is to enhance vehicle safety by continuously monitoring the driving environment and automatically adjusting vehicle speed, issuing alerts, or triggering appropriate actions to avoid accidents. By incorporating real-time sensor data analysis and automated responses, the system aims to address common causes of accidents such as rear-end collisions, driver distraction, drowsiness, and impaired driving. This introduction sets the stage for the subsequent sections of the project, which will delve into the design, implementation, and testing of the ASC-AAS. Through this endeavor, the project aims to contribute to the advancement of automotive safety technology and promote safer driving practices on the road.

The following components are used to create hardware module

1. Arduino Uno R3
2. 16x2 LCD display
3. Eye Blind Sensor
4. Ultrasonic Sensor
5. Smoke Sensor
6. Alcohol Sensor
7. Buzzer
8. power supply

Scope of the method

The proposed method for implementing the Automatic Speed Control and Accident Avoidance System (ASC-AAS) using Arduino Uno R3 with multi-sensor integration encompasses several key aspects, including sensor selection, system design, algorithm development, coding, testing, and validation. Here, we outline the scope of each component within the method:

1. **Sensor Selection:** The method involves carefully selecting and integrating sensors essential for monitoring the driving environment and driver behavior. This includes sensors such as the Ultrasonic sensor for obstacle detection, Eye Blind sensor for driver attentiveness monitoring, Smoke sensor for fire hazard detection, and Alcohol sensor for impairment detection.

2. **System Design:** The method encompasses the design of the ASC-AAS architecture, including hardware configuration, sensor placement within the vehicle, and the overall system layout. Design considerations also include power management, signal processing, and communication between the sensors and the Arduino Uno R3.

3. **Algorithm Development:** Developing algorithms for real-time data processing, decision-making, and control actions forms a crucial part of the method. This involves designing algorithms to analyze sensor data, assess potential risks, and trigger appropriate responses such as adjusting vehicle speed, issuing alerts, or activating safety mechanisms.

4. **Coding:** The method involves coding the ASCAAS functionality using the Arduino IDE and programming language (e.g., C/C++). This includes writing code to interface with the sensors, implement the control algorithm, and manage system behavior based on sensor inputs.

5. **Testing and Validation:** Rigorous testing and validation are essential to ensure the effectiveness and reliability of the ASC-AAS. Testing involves simulated scenarios in controlled environments as well as real-world testing to evaluate the system's performance under varying conditions. Validation aims to verify that the system meets predefined safety requirements and effectively mitigates risks associated with accidents.

6. **Safety Considerations:** Throughout the method, safety considerations play a critical role. This includes implementing fail-safe mechanisms, adhering to safety standards and regulations, and conducting risk assessments to identify and mitigate potential hazards associated with the ASC-AAS operation.

7.Documentation and Reporting: Proper documentation of the method, including system design specifications, algorithm descriptions, code documentation, test plans, and validation results, is essential. Clear and comprehensive reporting ensures transparency, reproducibility, and knowledge transfer to stakeholders.

By adhering to the outlined scope, the method aims to deliver a robust, effective, and safety-critical ASC-AAS solution that contributes to enhanced road safety and accident prevention.

The Flow of the System




Figure1. Circuit Diagram for the System

- 1.Initialization: Initialize serial communication and declare pin assignments for sensors, actuators, and peripherals. Initialize the LCD display and set up the necessary sensors and actuators.
- 2.Continuous Monitoring: Continuously monitor the eye blink sensor to detect if the user's eyes are open. If eyes are open, record the time of the last eye open event.
3. Ride Ready Check: Check if the start pin is LOW, indicating the start of the race. If the race is ready and not yet displayed, show "Ready To Race" message on the LCD.
4. Sensor Readings: Measure the distance using the ultrasonic sensor (HC-SR04). Read analog values from the smoke sensor and alcohol sensor.
5. Condition Evaluation: If the distance is greater than or equal to 30 cm and both smoke and alcohol values are within safe limits: Display "Vehicle is in Good Condition" on the LCD. If any of the conditions fail: Display distance, smoke, and alcohol values on the LCD. Activate warning signals (buzzer, LEDs) and stop the motor.
6. Safety Feature: Continuously check if the user's eyes remain closed for more than 5 seconds. If eyes remain closed: Activate warning signals (buzzer, LEDs) and stop the motor. Display "Eyes closed! Stopping Vehicle" on the LCD. Enter an infinite loop, halting further execution until reset.
7. Ride Ready Reset: Once the start pin goes HIGH, indicating the end of the race: Reset the flag indicating ride readiness to prepare for the next ride.

2.1 The Block Diagram of the System:




Figure 2.System Block Diagram



The Automatic Speed Control and Accident Avoidance System integrates various components to enhance vehicle safety and mitigate risks on the road. At its core, the Arduino Uno serves as the central control unit, orchestrating the processing of sensor data, decision-making based on predefined algorithms, and control of actuators. Key sensors such as the Ultrasonic Sensor, Smoke Sensor, and Alcohol Sensor continuously monitor the driving environment, detecting obstacles, hazardous conditions like smoke or pollutants, and potential cases of drunk driving. These sensors provide vital data to the Arduino, enabling the system to adjust vehicle speed, trigger collision avoidance measures, and issue alerts or interventions as necessary. The system's user interface components, including the LCD Display and Buzzer, provide real-time feedback to the driver, allowing them to monitor system operation and respond promptly to alerts. Additionally, actuators such as the Motor and Lights enable the system to take proactive measures, adjusting vehicle propulsion and signaling other road users to ensure safe navigation. Through the integration of these components, the Automatic Speed Control and Accident Avoidance System enhances road safety by actively preventing accidents caused by driver negligence, environmental hazards, and impaired driving.

3. CONCLUSION

In conclusion, the Automatic Speed Control and Accident Avoidance System (ASC-AAS) project presents a comprehensive solution for enhancing road safety during racing events. By integrating sensors such as the ultrasonic sensor, smoke sensor, and alcohol sensor with the Arduino Uno R3 micro controller, the system effectively monitors the driving environment and driver behavior in realtime. Through continuous monitoring and proactive intervention, potential hazards such as obstacles, smoke/fire, and impaired driving are detected and addressed promptly. The inclusion of safety features such as the eye blink sensor further enhances the system's capability to prevent accidents caused by driver fatigue or distraction. With its structured operational flow, the project ensures systematic monitoring, evaluation, and response, contributing to a safer racing experience. Moving forward, further refinements and optimizations could be explored to enhance the system's accuracy, responsiveness, and user-friendliness. Overall, the ASC-AAS project represents a significant step towards the implementation of advanced safety measures in racing environments, with the potential to extend its benefits to broader applications in automotive safety systems.

4. SUGGESTIONS:

- 1.Integration of Advanced Sensors: Consider integrating more advanced sensors, such as LIDAR or camera-based systems, to enhance obstacle detection and improve the accuracy of environmental monitoring.
- 2.Machine Learning Algorithms: Explore the use of machine learning algorithms to analyze sensor data and predict potential hazards with higher accuracy. This could improve the system's ability to adapt to varying road conditions and driver behavior patterns.
- 3.Mobile Application Interface: Develop a mobile application interface that allows drivers to monitor the system's status, receive alerts, and adjust settings remotely. This provides added convenience and accessibility for users.
- 4.Real-time Communication: Implement real-time communication capabilities between vehicles equipped with ASCAAS systems to share information about road conditions, hazards, and traffic patterns, enabling proactive hazard avoidance strategies.
- 5.Driver Profiling: Incorporate driver profiling algorithms to personalize the system's response based on individual driving habits, preferences, and risk factors. This could improve the system's effectiveness in mitigating potential accidents.
- 6.Redundancy and Fail-safe Mechanisms: Introduce redundant sensors and fail-safe mechanisms to ensure system reliability and resilience in the event of sensor failures or malfunctions.



7. Integration with Vehicle Control Systems: Explore integration with vehicle control systems to enable automatic adjustments to steering, braking, and acceleration, further enhancing accident avoidance capabilities.

8. User Feedback and Training: Provide users with feedback and training resources to help them better understand the system's operation, interpret alerts, and respond appropriately in emergency situations.

9. Regulatory Compliance: Ensure compliance with relevant safety standards and regulations governing the use of automated driving systems to promote widespread adoption and acceptance of the technology.

10. Continuous Improvement and Testing: Implement a process for continuous improvement and testing to address emerging safety challenges, incorporate user feedback, and stay abreast of technological advancements in the field of automotive safety systems.

5. REFERENCES:

1. Arduino: A Technical Reference: A Handbook for Technicians, Engineers, and Makers M. Young, The Technical Writer's Handbook. Mill Valley, CA: University Science, 1989.

2. Arduino Reference: Syntax, Concepts, and Examples - 1st Edition Claudia Alves.

3. Arduino: 2020 Step-by-Step Guide for Absolute Beginners. Everything You Need to Know about Arduino Nick.

4. Dr. Lavanya Dhanesh, Dr. S. Deepa, (2020), "Enhanced and Energy-Efficient Program Scheduling for Heterogeneous Multi-Core Processors System", Lecture Notes in Electrical Engineering, 2020, 665, pp. 737-747 (Scopus).

5. Dr. S. Deepa, R. Madubala, J. Hindhupriya, (2020), "Relay Coordination Using Etap", International Journal Of Advance Research And Innovative Ideas In Education, Vol. 6, No. 4, Pp. 1180-1188. 2020

6. Dr. S. Deepa, Dr. Lavanya Dhanesh (2019), "Optimal Fuzzy Controller For Power Quality Improvement Of Dynamic Voltage Restorer Using Bacterial Foraging Algorithm", "International Journal of Advanced Science and Technology" Vol. 28, No. 19, (2019), pp. 10-15

7. Dr. Lavanya Dhanesh (2019) "Solar Panel Monitoring System Using Smart Phone Technology" in the International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering, ISSN 2278-8875, Vol. 8, Issue 3, March 2019 56

8. P. S. RAMAPRABHA, A. Mohamed Inam ul Hasan, M. Manuneethy Cholan, D. Senthil Kumar, V. G. Samraj, "SMART DRINKING WATER DISPENSER USING DUAL AXIS SOLAR TRACKER" Vol-6 Issue-5 2020 IJAR ISSN(O)- 2395-4396 pp 226-241

9. Deepa S. Rajapandian. S., (2011), "Simulation of Dynamic Voltage Restorer Using Embedded Z source inverter", CIIT International journal of Automation and Autonomous System, Vol. 3, No. 4, pp. 178-182.

10. Lavanya Dhanesh, Dr. P. Murugesan (2018), "A Novel Approach in Scheduling Of the Real-Time Tasks In Heterogeneous Multicore Processor with Fuzzy Logic" in the International Journal named "International Journal of Power Electronics and Drive System (IJPEDS)" ISSN: 2088-8694, Vol. 9, No. 1, pp. 80-88.

11. P. S. RAMAPRABHA "SENSORLESS BLDC MOTOR DRIVE WITH COMMUTATION CORRECTION" IJAR ISSN(O)- 2395-4396 DOI .

12. Lavanya Dhanesh, Dr. P. Murugesan (2015), "Power Saving of The CPU By Improving The Performance of The Real-Time System Kernel Using The PSCPPTS Algorithm" in the International Journal named "International Journal of Applied Engineering Research" ISSN 0973-4562 Volume 10, Number 5 (2015) pp. 12465-12473.

13. Lavanya Dhanesh, Dr. P. Murugesan (2015), "Analysing the WCET by implementing Cyclic Priority Pre-Emptive Task Scheduling algorithm" in the International Journal named "Far East Journal Of Mathematical Sciences" ISSN 0972-0871 Volume 97, Number 6, 2015 pp. 667-688 .