



ASSORTMENT OF CONSTRUCTION PROJECT MANAGER USING PIPRECIA AND WSPLP METHODS

P Muralidhar Sr Associate Professor National Institute of Construction Management And Research, Aliabad Post, Jaggamguda (v) , Hyderabad , 500101, INDIA (Corresponding author :Pmuralidhar17@gmail.com)

Karuna Kumar G Asst Professor, Dept of Mechanical Engineering Seshadri Rao Gudlavalleru Engineering College, Gudlavalleru 521356, Krishna Dist. AP

Abstract:

Construction Sector is the back bone for the development of the country. For the last few years construction sector is growing and contributing more than ten percent of gross domestic product (GDP) to the Indian economy. All the construction projects attracts huge amount of resources like manpower, machinery and money etc.. To manage these resources effectively and completing the project with significant profit is really a hectic process to the contractors. In this hectic process the project manager is playing the pivotal role and striking the balance between the client, contractor and resources. The present research is aimed at selecting the right project manager using the Multi Criteria Decision Making (MCDM) methods like PIPRECIA (Pivot Pair wise Relative Criteria Relative Criteria Importance Assessment) and WSPLP (Weighted Sum method based on the decision maker's Preferred level of performances) from the available, eligible candidates. Based on the needs and requirements of the project, an eligible criterion was framed by consulting client, contractor and experts in the construction projects.

Keywords: Construction, Project manager, PIPRECIA, WSPLP, Selection.

1.Introduction

Today construction sector is the major sector in India contributing significantly to the growth of the country and many people are directly or indirectly involved in contributing to the growth of the sector and building the Nation. The construction project requires huge resources in terms of manpower, materials, and money. Recently the construction projects, management became an art and profits are narrowing day by day, A lot of risk is involved in construction projects [1] from the beginning to the end of the project [1]. These challenges are directing to choose the right project manager for executing the construction project. The construction project manager requires to portray variety of skills in terms of technical and managerial aspects [2].

The project manager is the driving force of the entire project and his actions will be helpful in improving the project operations leads to fulfilling the deliverables of the project[3,4]. As per the project priority listing out the priorities for the selection of persons is very important for organizations. The priorities are established for this research paper from the opinions of the client, contractor and construction Industry professionals, six essential priorities are listed for selection of project manager position mentioned in the table 1.

Multi criteria decision making (MCDM) techniques like AHP, Fuzzy AHP, SAW TOPSIS, weighted sum method(WSM)s are proven track record for ranking the candidates as per the listed priorities in terms of selection of suppliers, selection of HR managers, [5]. The proposed model was suitable to the Indian construction projects. To prioritize the rankings of the examined candidates, the paper is systematized as follows. The second part is related to literature review, the third part is related to the proposed model of PIPRECIA (Pivot Pair wise Relative Criteria Importance Assessment) and WSPLP (Weighted Sum method based on the decision maker's Preferred level of Performances), the fourth part is related to the analysis of these proposed models with an example, fifth part is the conclusion part of the study [6,7].

Table 1: Criteria for selection of Project Manager

Criteria/ Priority		Remarks
P1	Experience as Project Manager(PM)	Experience in handling the similar type of projects as a PM from Start to End
P2	Familiarity with Similar Projects	If the Similar projects are not handled directly then his awareness about statutory procedures
P3	Risk Assessment and Mitigation	Able to assess the risk in the project and then mitigating the same
P4	Working with teams	Working with different teams towards the fulfilling Project deliverables
P5	Working flexibility	Depends on the conditions flexibility to work at any given time
P6	Qualifications and professional certifications	Preference may be given to properly qualified and certified persons like PMP certified, any other professional certifications

2. Literature review

Multi criteria Decision Making (MCDM) techniques are very popular in determining the ranks for the selected criteria [8,9]. The importance and application of these techniques are gaining significant importance in the present-day research activity [10]. The decision-making process involves every single conflicting criterion which is making the final selection easier to the decision makers (DMs). Numerous methods are available in MCDM for making the decisions simpler and easier. The most popular MCDM techniques used are AHP by the author Saaty[11]. Fuzzy AHP which is the extension to AHP, COPRAS [12], ELECTRE, PROMETHE, SAW or WSPLP, TOPSIS, Fuzzy TOPSIS and VIKOR models are used for ranking purpose [13]. The above methods are convenient and easy to use and many authors applied to materialize their proposals [14]. All the above MCDM methods have good proven procedure to analyze the data in terms financial and non-financial aspects quickly [15]. Now a days there is lot of uncertainty and imprecision in all most all business activities and requires new generation MCDM techniques to address these issues[16]. The popular MCDM techniques proposed after the year 2000 are ARAS, MULTIMOORA, SWARA, WASPAS, WS PLP by Stanujkic & Zavadskas, and PIPRECIA etc.. are able to address the complexities of business to the extent[17,18].

As many authors applied new generation MCDM techniques and they found that solutions obtained through these methods are very much useful under uncertainty [19]. Some authors applied these new generation MCDM techniques for market research, strategic planning, location selection problems [20]. Gabrijela POPOVIC applied these techniques for making investment in hotel construction projects. He also developed the frame work for ranking the selections property development projects. Gholamreza Dehdasht has applied DEMATEL- ANP technique for assessing the risk in oil and Gas construction projects Gholamreza Dehdasht[21].

3. THE PROPOSED FRAMEWORK

The current section proposes the detailed procedure and computation of PIPRECIA and WS PLP methods, which helps in selection of the right candidate who will be offered the position of the construction project manager [22]. The PIPRECIA method is useful in defining the significance of the evaluation criteria by weight, whereas the WS PLP method points the final rankings from the available alternatives and selecting the optimal candidate [23].

THE PIPRECIA METHOD

Defining the weight criteria is the important step in MCDM methods as per Vatansever & Akgül. For this purpose many authors applied AHP method, Fuzzy AHP method, Entropy method, TOPSIS method, SWARA method etc.. The limitations of all the above methods are restricted to limited selection criteria, Whereas if you want to have the large selection criteria we need to choose other MCDM methods like PIPRECIA is very much useful mentioned by Stanujkic et., al [24,25].

The steps involved in the proposed method are as follows:

Step1. Define the evaluation criteria based on the probable significance

Step 2. Second criteria from the beginning, start calculating the relative importance S_j of the criteria j , in relation to the previous criteria ($j-1$)

$$S_j = \begin{cases} > 1 & \text{when significance of } C_j > C_{j-1} \\ 1 & \text{when significance of } C_j = C_{j-1} \\ < 1 & \text{when significance of } C_j < C_{j-1} \end{cases} \quad \text{Eq. (1)}$$

Step 3. Calculate coefficient k_j using equation 2

$$k_j = \begin{cases} j = 1 \\ 2 - S_j, j > 1 \end{cases} \quad \text{Eq(2)}$$

Step 4. Obtain the recalculated weight using equation 3

$$\begin{cases} 1 & j = 1 \\ q_j & \frac{q_{j-1}}{k_j} \quad j > 1 \end{cases} \quad \text{Eq(3)}$$

Step 5. Calculate the relative weight (w_j) using equation 4

$$W_j = \frac{q_j - 1}{\sum_{k=1}^n q_k} \quad \text{Eq(4)}$$

By using the equations (1)- (4), the proposed frame work for selection of project manager, three DMs are identified for six eligible potential candidates. Each and every candidate possess some good criteria's and some bad criteria's which are mentioned in table1. All these criteria's mentioned in the table 1 are opinions of the experts and the requirements of the projects from time to time. Another important criteria i.e salary is not taken in the present study as it is assumed as constant. The output calculations of three DMs are portrayed in table 2, table 3, and table 4 respectively.

Table 2: Criteria Weights- DM-1

Criteria		s_j	k_j	q_j	w_j
P ₁	Experience as Project Manager (PM)		1	1	0.19
P ₂	Familiarity with Similar Projects	1.0	1.0	1.0	0.19
P ₃	Risk Assessment and Mitigation	0.8	1.2	0.83	0.16
P ₄	Working with teams	0.8	1.2	0.69	0.13
P ₅	Working flexibility	1.1	0.9	0.77	0.15
P ₆	Qualifications and professional certifications	1.2	0.8	0.96	0.18
				5.25	1.00

Table 3: Criteria Weights- DM-2

Criteria		sj	kj	qj	wj
P1	Experience as Project Manager(PM)		1	1	0.15
P2	Familiarity with Similar Projects	1.2	0.8	1.25	0.19
P3	Risk Assessment and Mitigation	0.9	1.1	1.14	0.17
P4	Working with teams	0.7	1.3	0.88	0.13
P5	Working flexibility	1.3	0.7	1.25	0.19
P6	Qualifications and professional certifications	0.9	1.1	1.15	0.17
				6.67	1.00

From the table 3, familiarity with similar projects and working flexibility criteria were significant than others criteria

Table 4: Criteria Weights- DM-3

Criteria		sj	kj	qj	wj
P1	Experience as Project Manager(PM)		1	1	0.19
P2	Familiarity with Similar Projects	1.1	0.9	1.11	0.22
P3	Risk Assessment and Mitigation	0.9	1.1	1.0	0.19
P4	Working with teams	0.6	1.4	0.71	0.14
P5	Working flexibility	0.9	1.1	0.65	0.13
P6	Qualifications and professional certifications	1.0	1.0	0.65	0.15
				5.12	1.00

3.2 THE WSPLP METHOD

This WSPLP method is extension of the weighted sum method (WSM) proposed by Dragisa STANUJKIC et.al and is widely applied in decision making process[26,27].

The WSPLP method procedure is as follows

Step 1. Define the evaluation criteria and expected weights are estimated based on the significance criteria

Step 2. Decision Matrix(DM) establishes the preferred performance rating (PPR) values according to the preferences mentioned and this is helpful to depicts the virtual alternative elements i.e $A_0 = \{x_{01}, x_{02}, \dots, x_{0n}\}$. If the DM fails to define the PPR value of any mentioned criterion, can be obtained as follows:

$$x_{0j} = \begin{cases} \text{Max } x_{ij} | j \in \Omega_{\text{max}} \\ i \\ \text{Min } x_{ij} | j \in \Omega_{\text{max}} \\ i \end{cases} \quad \text{Eq (5)}$$

Where x_{0j} is the optimal PPR of the criteria of j ; Ω_{max} symbolizes set of beneficial criteria and Ω_{min} symbolizes set of cost criteria.

Step 3. Now the normalization is done by using the equations (6) and (7)

$$rij = (x_{ij} - x_{oj}) / (x_j^+ - x_j^-) \quad j \text{ cfi max} \quad . \text{Eq(6)}$$

$$rij = (x_{ij} - x_{oj}) / (x_j^+ - x_j^-) \quad j \text{ cfi min} \quad . \text{Eq(7)}$$

Calculate the normalized performance rating (r_{ij}) of the alternative i with respect to criteria j . where x_{oj} represents PPR value of the criterion j , and x_j^+ and x_j^- are the highest and the lowest performance ratings of the criterion j , respectively.

Step 4. Now the overall performance rating (S_i) for each alternative is calculated by the below mentioned equation-(8)

$$S_i = \sum_{j=1}^n W_j r_{ij} \quad . \text{Eq(8)}$$

Where S_i represents the overall performance rating of the alternative i , and $S_i \in [0,1]$. The above calculation should be performed, in case two or more alternatives fulfill the condition $S_i > 0$. Otherwise, the procedure ends with this step and biggest S_i value is the best choice to choose the alternative.

Step 5. In continuation to the previous step 4 If $S_i > 0$, the compensation coefficient C_i is calculated by using the below equation-(9)

$$C_i = \lambda \text{dimax} + (1-\lambda) \hat{S}_i^+ \quad . \text{Eq(9)}$$

$$\text{Where dimax} = \max d_i = \max r_{ij} w_j \quad . \text{Eq(10)}$$

$$\hat{S}_i^+ = (S_i^+) / (n_i^+) \quad . \text{Eq(11)}$$

Whereas dimax is the max weighted normalized distance of the alternative i relative to the PPR values of all the criteria, $r_{ij} > 0$

Step 6 The adjusted performance rating is calculated by eq(12) to obtain the alternatives

$$S'_i = \sum_{j=1}^n w_j r_{ij} - \psi C_i \quad . \text{Eq(12)}$$

S'_i denotes the overall performance alternative i ; C_i is the compensation coefficient; ($C_i > 0$), and ψ is the coefficient ($\lambda = [0,1]$).

Step 7. The highest value S'_i is the most acceptable alternative, it is ranked as the first and the remaining alternatives are listed in the ascending order according to their S'_i values.

Table 5, table 5 and table 7 contain the decision matrix (DM) related to available candidates' evaluation criteria as mention in the table 1. There are six candidates are assuming to be appearing and we need to select the right person for the project manager position. By using the PIPRECIA weights are calculated and using WSPLP finding best alternative among the available choice of candidates (i.e AL1, AL2, AL3, AL4, AL5, AL6).

Step 8. The final rankings are calculated by using the eq(13) As per WSPLP method and results are portrayed in table 9.

$$S_i'' = \sum_{k=1}^k W_k S'_i \quad . \text{Eq(13)}$$

Where W_k significance weight given to the decision maker (DM) k

4 AN EXAMPLE FOR THE PROPOSED MODEL

To show the applications of the proposed models an example was presented for the recruitment of the Construction project manager in this section. A leading multinational construction Company is looking for dynamic project manager in India. They want to give the priority to the candidates who worked in similar projects earlier or previous experience as construction project manager (Darjan Karabašević et.al, 2018). About six candidates are short listed for the final round and selection criteria was mentioned in table1. The final decision of the available alternative candidates are based on the opinion of the three decision makers(DMs) who are experts in this area. It is also accentuate that all decision makers don't have equal significance in decision making process. The chairmen of the selection committee was attributed with a weight of 0.5 and rest of committee members were attributed with a weight of 0.25 each in decision making process , which represents DM2 and DM3

respectively. The short listed candidates are evaluated according to the criteria mentioned in the table 1 and criteria weights using PIPRECIA are portrayed in table 2, table 3 and table 4 respectively.

From the table 2 it is observed that previous experience as project manager and Familiarity with similar projects criteria was significant than others. From the table 4, familiarity with similar projects stands out with higher significance than others criteria, but previous experience as project manager and Risk assessment and Mitigation in projects criteria having second equal priority.

In tables 5, 6, 7 the decision matrices DM-1, DM-2, DM-3 were presented. Each matrix contains the estimation of the candidates related to evaluation criteria as mentioned in table 1 using WSPLP method. The assessment was done in a scale of 1 to 5, where 1 being the lowermost grade and 5 being the uppermost grade. Each decision matrix contains PPR value using the equations (6)-(13), ranks of the candidates are determined. Table 8 portrays the ranks of results calculated from all the three DMs i.e from Table 5, 6, 7 respectively.

The table 8 portrays the consolidated decision matrix from the three decision makers, each decision matrix portrays best rank for different alternatives i.e DM-1 is showcasing alternative 6(AL6),DM-2 is showcasing alternative 3(AL3), whereas DM-3 is showcasing alternative 2(AL2). Now we need to identify the overall performance of all the available alternatives. This can be calculated from the weights allocated to the individual decision makers. The ranks are portrayed in the table 9.

The table 9 represents the rankings obtained using WSPLP method and highlights that among the available candidates Alternative AL4 stands out as top rank for the given set of alternatives and requirements expressed through PPR values. Proper care was taken during the evaluation process and decision making was based on the single criteria and higher performance ratings are avoided to make results more realistic and dependable.

Table 5 The Decision Matrix DM-1 using WSPLP

	P ₁	P ₂	P ₃	P ₄	P ₅	P ₆
w _j	0.1	0.1	0.1	0.1	0.1	0.1
	9	9	3	3	5	8
PPR	5	4	4	4	4	3
AL ₁	5	5	5	4	3	4
AL ₂	4	5	4	5	4	4
AL ₃	4	4	5	4	4	4
AL ₄	5	4	4	4	5	3
AL ₅	4	5	4	5	4	4
AL ₆	5	4	5	5	4	4

Table 6 The Decision Matrix DM-2 using WSPLP

	P ₁	P ₂	P ₃	P ₄	P ₅	P ₆
w _j	0.1	0.1	0.1	0.1	0.1	0.1
	5	9	7	3	9	7
PPR	4	3	4	3	4	4
AL ₁	4	5	4	3	4	4
AL ₂	4	4	3	3	4	3
AL ₃	4	4	4	4	3	3
AL ₄	3	4	4	3	4	5
AL ₅	3	3	4	3	3	5
AL ₆	4	3	3	3	4	4

(Source: author calculation)

Table 7 The Decision Matrix DM-3 using WSPLP

	P ₁	P ₂	P ₃	P ₄	P ₅	P ₆
w _j	0.19	0.22	0.19	0.14	0.13	0.13
PPR	4	4	4	3	3	3
AL ₁	5	5	4	3	3	3
AL ₂	5	5	4	4	3	3
AL ₃	4	5	3	3	4	3
AL ₄	5	4	4	3	4	3
AL ₅	4	4	3	3	4	3
AL ₆	5	5	3	3	4	4

(Source: author calculation)

Table 8 Ranking results of consolidated decision matrix

	DM-1		DM-2		DM-3	
	S _i '	Rank	S _i '	Rank	S _i '	Rank
AL ₁	0.35	2	0.38	1	-0.19	6
AL ₂	0.18	5	-0.15	3	0.64	1
AL ₃	0.12	6	-0.17	4	0.16	4
AL ₄	0.34	3	0.34	2	0.32	3
AL ₅	0.31	4	-0.34	5	-0.06	5
AL ₆	0.44	1	-0.17	4	0.50	2

(Source: author calculation)

Table 9: Final ranking results Obtained from all the three DMs

		Rank
AL ₁	0.22	3
AL ₂	0.21	4
AL ₃	0.07	6
AL ₄	0.33	1
AL ₅	0.05	5
AL ₆	0.30	2

5. CONCLUSIONS

The current research of selection project manager is very important for any construction company because the success or failures of any project operations are on the hands of the project manager. The decisions are effected by day to day operations, permissions and availability of labor from time to time. The huge amount of capital is involved in any construction project; hence certainty in decisions and proper planning is very important to retain the pre estimated profit in the project. This is completely depends on the right decisions of the project manager. The deliverables and success of any construction project depends on the execution of the project.

In the current manuscript the frame work is evaluated using recently proposed MCDM techniques like PIPRECIA and WSPLP. The reason being the decision makers (DMs) preferences are expressed concretely through PPR values. The application of the proposed frame work is demonstrated through a numerical example. We can prepare another set of criteria for extending the current problem since the input data for decision making process is connected to lot of uncertainty. The criteria selected in the research work can be made more elaborative along with the combination of some more MCDM techniques for future research work.



References

- Taylan, O., Bafail, A. O., Abdulaal, R. M., & Kabli, M. R., Construction projects selection and risk assessment by fuzzy AHP and fuzzy TOPSIS methodologies. *Applied Soft Computing*, 2014, 17, 105-116. <https://doi.org/10.1016/j.asoc.2014.01.003>.
- Brauers, W. K. M., & Zavadskas, E. K., Project management by MULTIMOORA as an instrument for transition economies. *Technological and Economic Development of Economy*, 2010, 16(1), 5-24. <https://doi.org/10.3846/tede.2010.01>.
- Tamošaitienė, J., Zavadskas, E. K., & Turskis, Z. , Multicriteria risk assessment of a construction project. *Procedia Computer Science*, 2013, 17, 129-133. <https://doi.org/10.1016/j.procs.2013.05.018>.
- Chen, T. Y. , Comparative analysis of SAW and TOPSIS based on interval-valued fuzzy sets: discussions on score functions and weight constraints. *Expert Systems with Applications*, 39(2), 2012, 1848-1861. <https://doi.org/10.1016/j.eswa.2011.08.065>
- Ravasan, A. Z., & Zare, M. A. , A Framework for Assessing Websites Quality: An Application in the Iranian Free Economic Zones Websites. In *Optimizing Current Practices in E-Services and Mobile Applications 2018.*, 248- 272. IGI Global.
- Muralidhar, P., Ravindranath, K., & Srihari, V. (2013). The influence of GRA and TOPSIS for assortment of green supply chain management strategies in cement industry. *International Journal of Supply Chain Management*, 2(1), 2013., 49-54.
- Brans, J. P., & Vincke, P., A preference ranking organization method: the PROMETHEE method for MCDM. *Management Science*, 31(6), 1985., 647-656. <https://doi.org/10.1287/mnsc.31.6.647>.
- Morteza YAZDANI, Sarfaraz HASHEMKHANI ZOLFANI, Edmundas Kazimieras ZAVADSKAS(2016). "New Integration Of Mcdm Methods And Qfd In The Selection Of Green Suppliers" , *Journal of Business Economics and Management*, 2016., <https://doi.org/10.3846/16111699.2016.11652>.
- Dheeraj P. Sharma, Praveen Ranjan Srivastava, Ritanjali Panigrahi, Patanjali Kumar, Smita Joshi.(2019) "A Multi-Criteria Decision Making Approach for ranking Business Schools" , *International Journal of Strategic Decision Sciences* 10(3), 2019., 33-56, <https://DOI:10.4018/IJSDS.2019070103>
- Opricovic, S., *Multicriteria optimization of civil engineering systems*. Belgrade: Faculty of Civil Engineering in Serbian, 1998.
- Saaty, T. L. , *The Analytic Hierarchy Process: planning, priority setting, resource allocation*. New York: McGraw-Hill., 1980.
- Zavadskas, E.K., Kaklauskas, A., &Sarka, V., The new method of multicriteria complex proportional assessment of projects. *Technological and Economic Development of Economy*, 1(3), 1994., 131-139.
- Ha, J. H., Jeong, M., & Lee, S., An analysis on the investment determinants for urban business hotel development, *Korean Journal of Construction Engineering and Management*, 16(4), 2015., 107-117. <https://doi.org/10.6106/KJCEM.2015.16.4.107>.
- Afshari, A., Mojahed, M., & Yusuff, R. M. (2010). Simple additive weighting approach to personnel selection problem. *International Journal of Innovation, Management and Technology*, 1(5), 2010., 511-515.
- Churchman, C. W., Ackoff, R. L. An approximate measure of value, *Journal of the Operations Research Society of America*, 2(2), 1954., 172-187.
- Zavadskas, E. K., Turskis, J., Antucheviciene, A., Zakarevicius, A. (2012) Optimization of Weighted Aggregated Sum Product Assessment, *Elektronika ir elektrotechnika*, 122(6), 2012., 3-6.
- Zavadskas, E.K., Turskis, Z., & Kildienė, S., State of art surveys of overviews on MCDM/MADM methods. *Technological and Economic Development of Economy*, 20(1), 2014., 165-179. <https://doi.org/10.3846/20294913.2014.892037>.



Vatansever, K., & Akgül, Y. (2018). Performance evaluation of websites using entropy and grey relational analysis methods: The case of airline companies. *Decision Science Letters*, 7(2), 2018.,119-130.

Lin, C.-T., Lee, C., & Wu, C.-S., Optimizing a marketing expert decision process for the private hotel. *Expert Systems with Applications*, 36(3), 2009.,5613-5619. <https://doi.org/10.1016/j.eswa.2008.06.113>.

Gholamreza Dehdasht, Rosli Mohamad Zin, M. Ferwati, Mu'azu Mohammed Abdullahi, Ali Keyvanfar, Ronald McCaffer(2017). "DEMATEL-ANP Risk Assessment in Oil and Gas Construction Projects" , *Sustainability(MDPI)* 9,2017.,1420, <https://doi:10.3390/su9081420>

Aksoy, S., & Ozbuk, M. Y., Multiple criteria decision making in hotel location: does it relate to postpurchase consumer evaluations? *Tourism Management Perspectives*, 22,2017.,73-81.<https://doi.org/10.1016/j.tmp.2017.02.001>

Darjan Karabašević, Dragiša Stanujkić, Bojan Đorđević, Ana Stanujkić(2018). "The weighted sum preferred levels of performances approach to solving problems in human resources management", *Serbian Journal of Management*, 13(1),2018., 145-156. <https://doi.org/10.5937/sjm13-12589>.

Dragisa STANUJKIC, Edmundas Kazimieras ZAVADSKAS,(2015), A Modified Weighted Sum Method Based on the Decision-maker's Preferred Levels of Performances, *Studies in Informatics and Control*, 24 (4), 2015., 461-470, <https://doi.org/10.24846/v24i4y201510>

Gabrijela POPOVIC, Dragisa STANUJKIC, Darjan KARABASEVIC.(2019 a). A Framework For The Evaluation Of Hotel Property Development Projects, *International Journal of Strategic Property Management* 23 (2),2019a., 96–107. <https://doi.org/10.3846/ijspm.2019.7435>

Gabrijela Popovic, Dragisa Stanujkic, Miodrag Brzakovic Darjan Karabasevic.(2019b). A Multiple-Criteria Decision-Making Model for The Selection Of A Hotel Location, *Land Use Policy* 84,2019b., 49-58. <https://Doi.Org/10.1016/J.Landusepol.2019.03.001>

Stanujkic, D., Zavadskas, E. K., Karabasevic, D., Smarandache, F., & Turskis, Z. (2017a). The Use Of The Pivot Pairwise Relative Criteria Importance Assessment Method For Determining The Weights Of Criteria. *Journal for Economic Forecasting*, (4),2017a., 116-133.

Stanujkic, D., Zavadskas, E. K., Karabasevic, D., Urosevic, S., & Maksimovic, M. (2017b). An Approach for Evaluating Website Quality in Hotel Industry Based on Triangular Intuitionistic Fuzzy Numbers. *Informatica*, 28(4), 2017b.,725-748.